

JAN 31 2000

ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTURING INC 1400 E. Havens Street Kokomo, IN 56901-3188

01/18/2000

Job Number:

99.07574 Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Date Date Number Sample Description Taken Received 256502 ONCE A MONTH COMP. 01/06/2000 01/07/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only entirety.

roject Representative



ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

01/18/2000

Job No.: 99.07574

Page 2 of 3

Date Received: 01/07/2000

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D Parameters	Result	Sample Date/ Flag Units	Analyst &	Method	Reporting Limit
256502 ONCE A MC	ONTH COMP.	01/06/2000			
CBOD - Five Day	68	mg/L	tpd / 01/13/2000	EPA 405.1	<5.
CBOD - Five Day (PREP)	Complete		jen / 01/08/2000	EPA 405.1	Complete
COD	650	mg/L	jen / 01/18/2000	EPA 410.4	<10.
Nitrogen, Ammonia Dist.	4.2	mg/L	sld / 01/14/2000	EPA 350.1	<0.1
Solids, Suspended	12	mg/L	mme / 01/13/2000	EPA 160.2	<5.
Distillation, Ammonia	Complete		aml / 01/12/2000		Complete
Molybdenum, ICP	<0.020	mg/L	crm / 01/13/2000	EPA 200.7	<0.020
Zinc, ICP	0.070	mg/L	crm / 01/13/2000	EPA 200.7	<0.020

JAN 31 2000

Page 3 of 3

KEY TO ABBREVIATIONS

- Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- Indicates the sample concentration was quantitated using a diesel fuel standard.
- b Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- dl Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- Indicates the reported concentration is estimated.
- f Indicates the sample concentration was quantitated using a fuel oil standard.
- g Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- i Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
- m Indicates the sample concentration was quantitated using a mineral spirits standard.
- Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. All other Quality Control Indicators were in control.
- Indicates the sample was received past recommended holding time.
- s Indicates the sample concentration was quantitated using a stoddard solvent standard.
- u Indicates the sample was received improperly preserved and/or imporperly contained.
- uj Indicates the result is below the Reporting Limit and is considered estimated.

Chain of Custody Recor	rd				T	ST	AN	1E	RIC	A		G.				IJΑ	N 3	1 2	000	P	age	of -	
Atlanta, GA (B) (770) 368-0636	Bartlett, IL (630) 289-3 Brighton, C(303) 659-04	100 (O (D)	Cedar Falls, 319) 277-24 Charleston, 843) 849-65	401 SC (F) □	(704) 392-	1164 SC (H)	(93 Day	yton, OH 7) 294-6 venport. 19) 323-7	856 IA (J)	☐ India	738-61	90 IN (L)	(6 □ M	ashville, 15) 726 acon, G 12) 757	0177 A (N)		(24 Or	18) 33: lando,	MI (O) 2-1940 FL (P) 1-2560	□ F (Rockford, I (815) 874- Vatertown, (920) 261-1	1 (Q) 2171 WI (R)	. }
Client: Milbark		Project 1	No.:				. i		REQ	UEST	ED P	ARA	MET	ERS									
Report Address:	2	Invoice	Address:		***************************************		8		1	7	1	1	7		- /	/	7) 				
		(2)				1				1	V					. /			regulat	ory	ng conduc		
Attn:		Attn:				1	/	10/	/	X		/	/ /	/			/				nitoring?		<u>'</u>
Phone No.:		Sampleo	ву: М	EN	lillika			20/0	2/	3					/	/			regulat	ory enfo	ng conductor	ted for ction?	
Fax No.:		P.O. No				7	14	The On's	1/20	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/	/				1	/.			. No			
TURNAROUND TIME		Quote N	o.				24	\ \ \	~	/ /	/	/	/	/					RCRA		ons apply: PDESWas	tewater	-
Standard		State San	nples Collect	ted] /4	QOY S	?/s	10/						1	/			UST Other_		Drinkin	ng Water_ None	
☐ Rush (surcharges may apply)	D	ate Needec	d:			1/0	7/C	7∕ ≷	7	/ /					# 5	and tw	ne of c	ontaine	_	_		None_	
Sample ID	Date 2000	Time	Comp (C) Grab (G)	Matrix	Lab Use					. A							H,SO,		None		REMAI	RKS	
comp	1-6	J	C	ww		X	X	×				14							-	lease	con	posit	_
V											24							П		using	cony	٠,٠	
				5-2										-						Read	ives		
									,														
																						22	
							ri H																
														i i									
'																							
			2								1. 1. P. 4.	na sana Na Gledia											
QC Deliverables:		vel 2 - Ba vel 4													-		Init I	ab Te	mp			₽°C Lab Temp	
COMMENTS:					,								9						,				
		1						,	1										İ				
Relinquished By:	mel	be	7-7-0 Date	00 +6	725 Time	Received	By	Ton	Bu	nt			Data	21	735	Time	LA	B US	E ONL	Y:			
Relinquished By:			Date		Time	Received	By:	- P					Date			Time							
Relinquished By:			Date		Time	Received	Ву:		<u> </u>		,	-	Date			Time		netod	v Spale	□Yes	. I		114
Relinquished By:			Date	ı	Time	Received	By:	- 1949-1	\				Date			Time	7 6				MIÊ	ACCUSED BY THE RESERVE OF THE PERSON OF THE	

1-6-00



Corporate Office: P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

Time	METER	
TIME	READING	
7:30	274340	
8:00	274390	
8:30	274630	A. 4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
9:00	274880	
9:30	275110	
10:00	275360	
10:30	275600	
11:00	275700	
11:30	275940	
12:00	276050	
12:30	276110	
1:00	276360	-
1:30	276450	
2:00	276540	
2:30	276770	
3:00	277010	
3:30	277260	

Manufacturer of Meter Mounting Equipment Since 1927 Kansas City, MC • El Dorado, AR • Concordia MO • Kokonio, IN • Reno, NV DAILY: EVERY DAY SYSTEM RUNS

Discharge Limitations

IX WEEK: SODAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

IX MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

Monitoring Requirements

	Discharge Linit	ations	Mountoing Requirements							
	Regulated <u>Parameter</u>	Maximum for Any one Day mg/L	RESULT	DATE	Monitoring Frequency	Sample Type				
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]				
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]				
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]				
Ca	Cyanide	0.50			Semi-Annual	Grab				
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]				
Ní	Nickel[5]	0.80			Semi-Annual	Composite[2]				
9	Silver[5]	0.24			Semi-Annual	Composite[2]				
Zn	Zinc[5]	1.25	.070	1-6-00	1 X Week	Composite[2]				
FOG	Oil and Grease[6]	100			Semi-Annual	Grab				
OIL + GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab				
	pH	6-10			Daily	Grab				
	CBOD [4]	(Monitor and report)	68	1-6-00	1 X Month	Composite[2]				
Nh3	Ammonia [4]	(Monitor and report)	4.2	1-6-00	1 X Month	Composite[2]				
	COD [4]	(Monitor and report)	1	1-6-00	1 X Month	Composite[2]				
	TSS [4]	(Monitor and report)		1-6-00	1 X Month	Composite[2]				
,	Flow	N/A			Daily (3)					
*	тто	2.13			Semi-Annual	Grab				
	Phenol	0.50			Semi-Annual	Grab				
Mo	Molybdenum[5]	(Monitor and report)	.020	1-6-00	1 X Month	Composite[2]				

SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)



January 20, 2000

Mr. Richard Tyler
MILBANK MANUFACTURING CO.
1400 E. Haven Street
Kokomo, IN 46901-3188

Dear Mr. Tyler:

Due to an oversight in logging in your samples we did not run them for Total Suspended Solids. We have since created a log in quote for your monthly samples to help correct this problem.

If you have any questions or comments, please feel free to reach me at 1-800-485-0204.

Sincerely,

Ken Busch

Customer Service Representative

TestAmerica, Incorporated

cc: client file, David Norris, Ron Barnett